

Micro-Clip MK2 RGB




Date: 07.06.2018
Operator: PR

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL2210 Micro Clip MK2 RGB Narrow sym / Luminaire Data Sheet

Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 98 100 100 100 88

Griven Srl AL2210 Micro Clip MK2 Narrow sym
Article No.: AL2210
Luminous flux (Luminaire): 202 lm
Luminous flux (Lamps): 234 lm
Luminaire Wattage: 10.8 W
Luminaire classification according to CIE: 100
CIE flux code: 98 100 100 100 88
Fitting: 1 x Led RGB All Colour in Use
(Correction Factor 1.000).


Featuring a totally brand new design, MICRO-CLIP MK2 is an ultra compact spotlight fixture that houses three high efficiency full colour LEDs. IP65 rated, MICRO-CLIP MK2 is adaptable to a wide range of indoor and outdoor environments. Providing a vibrant and brilliant colour palette from a particularly thin and newly restyled bodywork, MICRO-CLIP MK2 features a straightforward operational efficiency where standalone colour sequences are available for spectacular synchronized effects and digital remote control via DMX 512 signal is a standard attribute. Wall-washing, spot lighting, interior and exterior decoration are part of a vast choice of applications assortment enhanced by multiple beam angles options and full orientation pan and tilt mounting position.

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL2210 Micro Clip MK2 RGB Narrow sym / Cone Diagram

Luminaire: Griven Srl AL2210 Micro Clip MK2 Narrow sym
Lamps: 1 x Led RGB All Colour in Use



Distance [m] Cone Diameter [m] Illuminance [lx]


— C0 - C180 (Half-value Angle: 15.4°)
— C90 - C270 (Half-value Angle: 13.6°)

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL2212 Micro Clip MK2 RGB Medium sym / Luminaire Data Sheet

Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 98 100 100 100 86

Griven Srl AL2212 Micro Clip MK2 Medium sym
Article No.: AL2212
Luminous flux (Luminaire): 199 lm
Luminous flux (Lamps): 234 lm
Luminaire Wattage: 10.8 W
Luminaire classification according to CIE: 100
CIE flux code: 98 100 100 100 86
Fitting: 1 x Led RGB All Colour in Use
(Correction Factor 1.000).


Featuring a totally brand new design, MICRO-CLIP MK2 is an ultra compact spotlight fixture that houses three high efficiency full colour LEDs. IP65 rated, MICRO-CLIP MK2 is adaptable to a wide range of indoor and outdoor environments. Providing a vibrant and brilliant colour palette from a particularly thin and newly restyled bodywork, MICRO-CLIP MK2 features a straightforward operational efficiency where standalone colour sequences are available for spectacular synchronized effects and digital remote control via DMX 512 signal is a standard attribute. Wall-washing, spot lighting, interior and exterior decoration are part of a vast choice of applications assortment enhanced by multiple beam angles options and full orientation pan and tilt mounting position.

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL2212 Micro Clip MK2 RGB Medium sym / Cone Diagram

Luminaire: Griven Srl AL2212 Micro Clip MK2 Medium sym
Lamps: 1 x Led RGB All Colour in Use




Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL2214 Micro Clip MK2 RGB Wide sym / Luminaire Data Sheet

Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 97 100 100 100 95

Griven Srl AL2214 Micro Clip MK2 Wide sym
Article No.: AL2214

Luminous flux (Luminaire): 222 lm

Luminous flux (Lamps): 234 lm

Luminaire Wattage: 10.8 W

Luminaire classification according to CIE: 100

CIE flux code: 97 100 100 100 95

Fitting: 1 x Led RGB All Colour in Use
(Correction Factor 1.000).


Featuring a totally brand new design, MICRO-CLIP MK2 is an ultra compact spotlight fixture that houses three high efficiency full colour LEDs. IP65 rated, MICRO-CLIP MK2 is adaptable to a wide range of indoor and outdoor environments. Providing a vibrant and brilliant colour palette from a particularly thin and newly restyled bodywork, MICRO-CLIP MK2 features a straightforward operational efficiency where standalone colour sequences are available for spectacular synchronized effects and digital remote control via DMX 512 signal is a standard attribute. Wall-washing, spot lighting, interior and exterior decoration are part of a vast choice of applications assortment enhanced by multiple beam angles options and full orientation pan and tilt mounting position.

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL2214 Micro Clip MK2 RGB Wide sym / Cone Diagram

Luminaire: Griven Srl AL2214 Micro Clip MK2 Wide sym
Lamps: 1 x Led RGB All Colour in Use



Distance [m] Cone Diameter [m] Illuminance [lx]

— C0 - C180 (Half-value Angle: 40.4°)

— C90 - C270 (Half-value Angle: 37.2°)