

Ruby MC CW




Date: 22.06.2018
Operator: PR

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4980SPCW RUBY MC CW SPOT SYM / Luminaire Data Sheet

Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 98 100 100 100 105

Griven Srl AL4980SPCW RUBY MC CW SPOT SYM

Article No.: AL4980SPCW
Luminous flux (Luminaire): 2301 lm
Luminous flux (Lamps): 2211 lm
Luminaire Wattage: 57.0 W
Luminaire classification according to CIE: 100
CIE flux code: 98 100 100 100 105
Fitting: 1 x XP-G3 (Correction Factor 1.000).


RUBY MC CW is a newly engineered, medium-sized rounded spotlight which houses six high power cold white LEDs, as well as in-built electronics and power supply unit. This stylish and versatile fixture is ideal for spot lighting and wall grazing owing to the wide selection of exchangeable optics groups available, ranging from spot aperture beams to wide distribution. The cold white light configuration stands out for the unparalleled output from such a small wattage fixture and the stunning visual rendering of cool shades. In order to access functions like DMX addressing, stand-alone operations and DMX channels configuration you must use our Infrared Remote Control (Code Ref. AL1321). The Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4980SPCW RUBY MC CW SPOT SYM / Cone Diagram

Luminaire: Griven Srl AL4980SPCW RUBY MC CW SPOT SYM
Lamps: 1 x XP-G3



Distance [m] Cone Diameter [m] Illuminance [lx]


- C0 - C180 (Half-value Angle: 7.2°)
- C90 - C270 (Half-value Angle: 7.8°)

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4980NACW RUBY MC CW NARROW SYM / Luminaire Data Sheet

Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 97 99 100 100 103

Griven Srl AL4980NACW RUBY MC CW
NARROW SYM
Article No.: AL4980NACW
Luminous flux (Luminaire): 2180 lm
Luminous flux (Lamps): 2138 lm
Luminaire Wattage: 57.0 W
Luminaire classification according to CIE: 100
CIE flux code: 97 99 100 100 103
Fitting: 1 x XP G3 (Correction Factor 1.000).


RUBY MC CW is a newly engineered, medium-sized rounded spotlight which houses six high power cold white LEDs, as well as in-built electronics and power supply unit. This stylish and versatile fixture is ideal for spot lighting and wall grazing owing to the wide selection of exchangeable optics groups available, ranging from spot aperture beams to wide distribution. The cold white light configuration stands out for the unparalleled output from such a small wattage fixture and the stunning visual rendering of cool shades. In order to access functions like DMX addressing, stand-alone operations and DMX channels configuration you must use our Infrared Remote Control (Code Ref. AL1321). The Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4980NACW RUBY MC CW NARROW SYM / Cone Diagram

Luminaire: Griven Srl AL4980NACW RUBY MC CW NARROW SYM
Lamps: 1 x XP-G3




Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4980MECW RUBY MC CW MEDIUM SYM / Luminaire Data Sheet

Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 97 99 100 100 105

Griven Srl AL4980MECW RUBY MC CW
MEDIUM SYM
Article No.: AL4980MECW
Luminous flux (Luminaire): 2188 lm
Luminous flux (Lamps): 2100 lm
Luminaire Wattage: 57.0 W
Luminaire classification according to CIE: 100
CIE flux code: 97 99 100 100 105
Fitting: 1 x XP-G3 (Correction Factor 1.000).


RUBY MC CW is a newly engineered, medium-sized rounded spotlight which houses six high power cold white LEDs, as well as in-built electronics and power supply unit. This stylish and versatile fixture is ideal for spot lighting and wall grazing owing to the wide selection of exchangeable optics groups available, ranging from spot aperture beams to wide distribution. The cold white light configuration stands out for the unparalleled output from such a small wattage fixture and the stunning visual rendering of cool shades. In order to access functions like DMX addressing, stand-alone operations and DMX channels configuration you must use our Infrared Remote Control (Code Ref. AL1321). The Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4980MECW RUBY MC CW MEDIUM SYM / Cone Diagram

Luminaire: Griven Srl AL4980MECW RUBY MC CW MEDIUM SYM
Lamps: 1 x XP-G3




Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4980WICW RUBY MC CW WIDE SYM / Luminaire Data Sheet

Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 96 99 100 100 104

Griven Srl AL4980WICW RUBY MC CW WIDE SYM

Article No.: AL4980WICW

Luminous flux (Luminaire): 2158 lm

Luminous flux (Lamps): 2080 lm

Luminaire Wattage: 57.0 W

Luminaire classification according to CIE: 100

CIE flux code: 96 99 100 100 104

Fitting: 1 x XP G3 (Correction Factor 1.000).


RUBY MC CW is a newly engineered, medium-sized rounded spotlight which houses six high power cold white LEDs, as well as in-built electronics and power supply unit. This stylish and versatile fixture is ideal for spot lighting and wall grazing owing to the wide selection of exchangeable optics groups available, ranging from spot aperture beams to wide distribution. The cold white light configuration stands out for the unparalleled output from such a small wattage fixture and the stunning visual rendering of cool shades. In order to access functions like DMX addressing, stand-alone operations and DMX channels configuration you must use our Infrared Remote Control (Code Ref. AL1321). The Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4980WICW RUBY MC CW WIDE SYM / Cone Diagram

Luminaire: Griven Srl AL4980WICW RUBY MC CW WIDE SYM
Lamps: 1 x XP-G3



Distance [m] Cone Diameter [m] Illuminance [lx]

- C0 - C180 (Half-value Angle: 36.4°)
- C90 - C270 (Half-value Angle: 36.8°)