



JUPITER MC RECESSED

JUPITER MC RECESSED



DESCRIPTION

Owing to its remarkable versatility, strong visual impact, and compact size, Jupiter MC Recessed is the ideal in-ground lighting solution for enhancing architectural and landscape settings with smooth, brilliant colour transitions. Its quad-colour LED technology ensures superior colour mixing directly at the lens, delivering rich, uniform illumination. Featuring a shallow installation depth for seamless integration into any setting, it is available in two elegant configurations in AISI 316L stainless steel – with frame or all-glass – both distinguished by a refined and minimalist design. The IP67 protection rating guarantees maximum reliability and water resistance, even under heavy rainfall.

IN-GROUND UPLIGHTERS


MAIN FEATURES

- Max. delivered lm output: 1640 lm /51 lm/W
- Max.Size: (WxD) ø 220x140 mm / ø 7.9x5.48"
- Control system: DMX-RDM, DALI, DALI DT8
- In-ground LED uplighters available with a stainless steel frame or in all-glass configuration, suitable respectively for drive-over or walk-over applications.


LED COLOUR CONFIGURATIONS




JUPITER MC RECESSED




ALL-GLASS



FRAME




FEATURES



OPTIONS



LED COLOUR CONFIGURATIONS



MORE INFO AVAILABLE AT GRIVEN.COM

CODE

AL5393 JUPITER MC RECESSED

PERFORMANCE	WATT	MAX LM OUTPUT	LM/WATT
JUPITER MC REC. RGBW	32	1640	51

BEAM ANGLE REFERENCE	RGBW
SPOT	9°
NARROW	13°
MEDIUM	23°
WIDE	50°

