



CAPITONYX 200

CAPITONYX 200



DESCRIPTION

Owing to efficient ultra-narrow optics combined with a new generation of high-output LEDs, CAPITONYX 200 delivers a supremely remarkable output with outstanding performances at long distances from a compact body. Its modern design and extremely sleek profile allow smooth blending in every architectural background making it the ideal solution for medium to large installations requiring discreet but powerful luminaires.


MAIN FEATURES

- Max. delivered lumen output: 9968 lm / 65 lm/W
- Size: (HxWxD) 276x475x90 mm / 10.8x18.7x3.5"
- Control system: DMX-RDM, DALI DT8, DALI, remote wireless data
- Medium-sized floodlight featuring efficient ultra-spot optics for long-shot effects with accurate beam angle definition


LED COLOUR CONFIGURATIONS




CAPITONYX 200



FEATURES




OPTIONS



LED COLOUR CONFIGURATIONS



FINISHES



MORE INFO AVAILABLE AT GRIVEN.COM

CODE

AL6021 CAPITONYX 200

PERFORMANCE	WATT	MAX LM OUTPUT	LM/WATT
CAPITONYX 200 RGBW	154	5550	36
CAPITONYX 200 DW	154	8945	58
CAPITONYX 200 W	154	9968	65

BEAM ANGLE REFERENCE	RGBW	DW/W
ULTRA SPOT	2.8°	2.8°



Mexico – Metropolitan Cathedral, Mexico City