



DS

DS



DESCRIPTION

Conceived by Dark Source and Eryri National Park, DS is a warm white light applique designed to provide targeted general lighting for façades and pathways, minimising light pollution through efficient, glare-free illumination. In compliance with DarkSky principles, DS directs the luminous flux exclusively onto the areas of interest, eliminating any upward emission for optimal visual comfort and a balanced nocturnal perception. Its fully demountable body facilitates maintenance operations and enables complete recyclability at end of life, in line with circular economy principles.

APPLIQUES


MAIN FEATURES

- Max. delivered lm output: 499 lm /84 lm/W
- Size: ø 121mm 150x85 mm
- Control system: ON-OFF with integrated PSU
- High-performance, white light applique designed to provide targeted general lighting for façades and pathways

LED COLOUR CONFIGURATIONS



DS



FEATURES



ON - OFF



IP66



IK07



CLASS



1 KG



LED COLOUR CONFIGURATIONS



2700K



2200K



1800K



1000K

MORE INFO AVAILABLE ON OUR WEBSITE

CODE

AL5455 DS

PERFORMANCE	WATT	MAX LM OUTPUT	LM/WATT
DS WHITE LIGHT (2200K)	6	499	84
DS WHITE LIGHT (2700K)	6	454	79
DS WHITE LIGHT (1800K)	10.6	233	22
DS WHITE LIGHT (1000K)	8.6	110	13

BEAM ANGLE REFERENCE	WHITE LIGHT
PRISMATIC DIFFUSER	96°



AI generate images of typical product installations