
GRIVEN

HALF MOON RECESSED WALL WASH



DESCRIPTION

Featuring a shallow recess depth for quick and straightforward installation, HALF MOON RECESSED WALL WASH is an ultra-compact in-ground LED uplighter designed to provide uniform illumination of walls and architectural elements. The black screen printing covering half of the glass, combined with an integrated micro-louvre, ensures effective light control while preventing unpleasant glare. Designed for use with a remote PSU, it is available in two walk-over configurations, featuring either a stainless-steel frame or a flush-mounted full-glass finish for a refined, discreet appearance.

IN-GROUND UPLIGHTERS


MAIN FEATURES


- Max. delivered lm output: 71 lm / 28.4lm/W
- Max. size: ø 50x46 mm / ø 2x1.8”
- Control system: DALI, ON-OFF, 0-10V, according to the selected PSU
- Ultra-compact in-ground LED uplighters with Wall Wash optics, designed to provide uniform illumination of walls and architectural elements

LED COLOUR CONFIGURATIONS



HALF MOON RECESSED WALL WASH





FEATURES

DALI

ON - OFF

0 - 10 V

CLASS

WALK OVER

0.4 KG

IP68

IK09

CE

OPTIONS

ETL LISTED

ANTI-SLIP

LED COLOUR CONFIGURATIONS

2200K

2700K

3000K

4000K

MORE INFO AVAILABLE AT GRIVEN.COM

CODE

AL5485 HALF MOON RECESSED WALL WASH

PERFORMANCE	WATT	MAX LM OUTPUT	LM/WATT
HALF MOON RECESSED W	2.5	71	28.4

BEAM ANGLE REFERENCE	WHITE
WALL WASH	39° (19° incl.) x 49°

GRIVEN

HALF MOON RECESSED WALL WASH



AI generated images of typical product installations

IN-GROUND UPLIGHTERS