



MOON DOWNLIGHT LOW GLARE

MOON DOWNLIGHT LOW GLARE



DESCRIPTION

Available in two configurations - Trim and Trimless -, MOON DOWNLIGHT LOW GLARE is a compact recessed ceiling luminaire which, owing to the recessed position of its light source, delivers natural, discreet illumination with minimal glare. It is the ideal solution for enhancing entrances, porches, and balconies in hospitality or residential settings, offering a range of decorative or functional effects in white light tones. The external driver and shallow recess depth allow for easy installation, even in confined spaces.


MAIN FEATURES

- Max. delivered lm output: 1248 lm / 120 lm/W
- Max. size Trim: \varnothing 76 mm H 93 mm / \varnothing 2.99" H 3.66"
- Max. size Trimless: \varnothing 72 mm H 94 mm / \varnothing 2.83" H 3.7"
- Control system: DALI, ON-OFF, 0-10V with remote PSU
- Compact ceiling-recessed, low-glare downlight for decorative or functional illumination available in Trim and Trimless versions


LED COLOUR CONFIGURATIONS



MOON DOWNLIGHT LOW GLARE



TRIM



TRIMLESS

FEATURES



0 - 10 V



DALI



ON - OFF



CLASS



IP66



IK07



UGR < 19



0.5 KG



OPTIONS



BEEHIVE
FILTER



PRISMATIC
GLASS



ETL
VERSION

LED COLOUR CONFIGURATIONS



2200K



2700K



3000K



4000K

MORE INFO AVAILABLE ON OUR WEBSITE

CODES

AL5359 T MOON DOWNLIGHT LOW GLARE TRIM

AL5359 S MOON DOWNLIGHT LOW GLARE TRIMLESS

PERFORMANCE	WATT	MAX LM OUTPUT	LM/WATT
MOON DOWNLIGHT LOW GLARE W	10.5	1248	120

BEAM ANGLE REFERENCE	WHITE LIGHT
NARROW	17°
MEDIUM	23°
WIDE	30°



MOON DOWNLIGHT LOW GLARE

RECESSED DOWNLIGHTS

AI generated images of typical product installations